



NOTE: REFER TO SIGN PLANS

1 SIGN B - ELEVATION SECTION
SCALE: 1/2" = 1'-0"



2 SECTION DETAIL
SCALE: 3" = 1'-0"




3 BRACKET DETAIL
SCALE: 3" = 1'-0"

- GENERAL NOTES:
- CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS ON JOB SITE.
 - ISOLATE ALUMINUM FROM STEEL.
 - ALL BOLT HOLES TO BE DRILLED OR PUNCHED.
 - ALL ELECTRICAL WORK TO CONFORM TO THE REQUIREMENTS OF UL48 AND SECTION 600 OF NEC.
 - UL AND DATA LABELS REQUIRED.
 - SIGNS TO BE 6'-FT HORIZONTAL & 12'-FT VERTICAL FROM HIGH VOLTAGE WIRES.
 - DESIGN IS BASED ON 90 MPH WIND, 3-SEC. GUST, EXPOSURE C.
 - AFTER INSTALL ALL PENETRATIONS TO BE WATERPROOFED WITH SILICONE SEALANT.
 - WHERE ALUMINUM ALLOY PARTS ARE IN CONTACT WITH STEEL OR OTHER DISSIMILAR METALS, THE STEEL SURFACES TO BE PLACED IN CONTACT WITH THE UNCOATED ALUMINUM SHALL BE PAINTED WITH GOOD QUALITY NON LEAD CONTAINING PRIMER PAINT, SUCH AS ZINC MULTISIDE, ALKID TYPE PRIMER IN ACCORDANCE WITH THE FEDERAL SPECIFICATION TT-P-8458, FOLLOWED BY TWO COATS OF PAINT CONSISTING OF 2 LB. OF ALUMINUM PASTE PRIMER (ASTM SPECIFICATION D992-81, TYPE 2, CLASS B) PER GALLON OF VARNISH MEETING FEDERAL SPECIFICATION TT-V-89, TYPE B, OR EQUIVALENT.


'HOME OF THE WHOPPER' SIGN DETAIL

AS SHOWN




3 PLAN SECTION
SCALE: 1/2" = 1'-0"


NOTE: REFER TO SIGN PLANS



3 CONNECTION DETAIL
SCALE: 1/2" = 1'-0"




1 SIGN F - ELEVATION SECTION
SCALE: 1/2" = 1'-0"



2 END VIEW
SCALE: 1/2" = 1'-0"


MONUMENT SIGN DETAIL

SCALE: 1/2" = 1'-0"




4 MATCH PLATE DETAIL
SCALE: 1/2" = 1'-0"

COPYRIGHT © 2020 - DYNAMIC ENGINEERING CONSULTANTS, PC - ALL RIGHTS RESERVED



1 SIGN A - ELEVATION SECTION
QTY. X3
SCALE: 1" = 1'-0"




2 END SECTION
SCALE: 1" = 1'-0"

NOTE: REFER TO SIGN PLANS

BURGER KING LOGO DETAIL

SCALE: 1" = 1'-0"




1 SIGN B - MOUNTING OPTIONS
SCALE: 1 1/2" = 1'-0"

- GENERAL NOTES:
- CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS ON JOB SITE.
 - ISOLATE ALUMINUM FROM STEEL.
 - ALL BOLT HOLES TO BE DRILLED OR PUNCHED.
 - ALL ELECTRICAL WORK TO CONFORM TO THE REQUIREMENTS OF UL48 AND SECTION 600 OF NEC.
 - UL AND DATA LABELS REQUIRED.
 - SIGNS TO BE 6'-FT HORIZONTAL & 12'-FT VERTICAL FROM HIGH VOLTAGE WIRES.
 - DESIGN IS BASED ON 90 MPH WIND, 3-SEC. GUST, EXPOSURE C.
 - AFTER INSTALL ALL PENETRATIONS TO BE WATERPROOFED WITH SILICONE SEALANT.
 - SON MUST BE ATTACHED TO OR THROUGH SOLID BLOCKING. ATTACHMENT TO SHEATHING ONLY IS NOT ACCEPTABLE.
 - A THREADED ROD MAY BE USED FOR THRU BOLT CONNECTION. (USE WASHER AND DOUBLE NUT OR CRIMP THREADS BOTH ENDS TYP.)
 - AT ALL TIMES, INSTALLATIONS INSTALL WITH 1/2" DIA. PIPE SLEEVE. SEAL ALL PENETRATIONS.
 - WALL SIGN ATTACHED TO EXTERIOR WALLS OF SOLID MASONRY OR CONCRETE, SHALL BE SAFELY AND SECURELY ATTACHED BY MEANS OF METAL ANCHORS, BOLTS OR EXPANSION BOLTS OF NOT LESS THAN 3/8" DIAMETER AND SHALL BE EMBEDDED AT LEAST 5 INCHES. WOOD BLOCK SHALL NOT BE USED FOR ANCHORAGE, EXCEPT IN THE CASE OF WALL SIGNS ATTACHED TO BUILDING WITH WALLS OF WOOD. A WALL SIGN SHALL NOT BE SUPPORTED BY ANCHORAGE SECURED TO AN UNBRACED PARAPET WALL. LAG BOLT ANCHORAGE INTO 3" MIN. EMBEDMENT.

MOUNTING OPTIONS DETAIL
SCALE: 1/2" = 1'-0"

Plotted: 06/12/20 12:15 PM, By: russell
File: P:\DYNAMIC PROJECTS\2766 Corral Restaurant Group\98-002 Madison\DWG\Site Plans\0276699002SD1.dwg, --- 11 CONSTRUCTION DETAILS



REV.	DATE	COMMENTS
1	06/11/20	REVISED PER BIDDING COMPLETENESS COMMENTS

DESIGNED BY: JCS	CHECKED BY: JCS
DRAWN BY: JFR	CHECKED BY: JFR
PROJECT: CARROLLS RESTAURANT GROUP PROPOSED RESTAURANT REMODEL BLOCK 5101, LOT 33 317 MAIN STREET (NUSH 124) BOROUGH OF MADISON, MORRIS COUNTY, NEW JERSEY	

811 PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXISTING UTILITIES BEFORE ANY EXCAVATION OR SURFACE ANCHORAGE IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
245 Main Street, Suite 110
Chester, NJ 07930
1: 908.879.9229 | F: 908.879.0222
Offices conveniently located at:
Lakewood, NJ • 1.732.754.0170
Chester, NJ • 1.908.879.9229
Newark, NJ • 1.973.755.7200
Trenton, NJ • 1.732.754.0170
Newtown, PA • 1.908.879.0229
Allentown, PA • 1.973.342.1200
Houston, TX • 1.281.989.6400
Austin, TX • 1.512.846.2946
Delray Beach, FL • 1.561.921.8510
www.dynamiccec.com

ROBERT J. COLUCCO III
PROFESSIONAL ENGINEER
NEW JERSEY LICENSE No. 55851

JOSEPH C. SPARONE
PROFESSIONAL ENGINEER
NEW JERSEY LICENSE No. 47204

TITLE:
CONSTRUCTION DETAILS

SCALE: (H) AS SHOWN DATE: 04/16/2020
PROJECT No: 2766-99-002
SHEET No: **11** OF 12 Rev. #: 1